

A close-up photograph of a branch from a Yellow Poplar tree. The branch features several large, green, ovate leaves with prominent veins and serrated margins. The leaves are arranged in an alternate pattern along the stem. Many of the leaves show signs of insect damage, including numerous small, circular holes and larger, irregular holes. Some leaves have dark, necrotic spots. The background is a soft-focus green, suggesting a dense forest or garden setting.


Alternate alignment

Yellow Poplar



white oak  
(White oak group)

?????



# American Elm





- Southern red oak
- (red oak group)





red maple





A close-up photograph of a Virginia pine branch. The branch is covered in dense, vibrant green needles. Several dark brown, woody pine cones are attached to the branch, showing their characteristic scaly texture. The background is a soft-focus blur of green foliage and a hint of blue sky, suggesting a natural outdoor setting.

- Virginia pine



dogwood







hackberry





Bitternut hickory  
(hickory group)





Alternate alignment

Black oak  
(Red oak group)



Chestnut oak  
(white oak group)





Alternate  
alignment

Winged elm





A photograph of a tree branch with many green, lobed leaves. The leaves are arranged in an alternate pattern along the stem. The background is a clear blue sky. The text 'Alternate alignment' is overlaid in white in the upper center of the image.

Alternate alignment

Scarlet oak  
(Red oak group)




Black cherry





Alternate alignment

Black walnut





A close-up photograph of a sweetgum tree branch with several large, palmately 5-lobed green leaves. The leaves are arranged in an alternate pattern along the stem. Some leaves show signs of insect damage, including small holes and larger irregular holes. The background is a soft-focus green forest.

Alternate alignment

sweetgum